


NEW FROM IDEAL

DEADEYE COLLECTION

DEADEYE™ CARBIDE-TIPPED HOLE CUTTERS

We take pride in creating innovative, accurate and long-lasting products so you can take pride in your work. New DEADEYE™ Carbide-Tipped Hole Cutters offer the best cost-per-cut advantage and premium features making cutting through the toughest metals simple, such as stainless steel, fast and efficient.

Advanced designs including the integrated arbor, SmoothStart™ pilot bit and multi-directional carbide teeth ensure the quickest and most accurate cutting, even on aggressive materials. Built using high-quality materials and coatings including tungsten carbide teeth and DEADEYE™ Finish pilot bit for the ultimate longevity.



• Six-flat shank provides a quick and secure hold

• One-piece design reduces vibration ensuring the most accurate cut

• Expanded cutting depth up to 6 ga material with over 1" effective length

• Multi-directional tooth design for the fastest cut through aggressive materials including stainless steel

• SmoothStart™ pilot bit w/ DEADEYE™ Finish provides a quick start and long life

DEADEYE™ MAGNETIC CHIP COLLECTOR

The DEADEYE™ Magnetic Chip Collector securely attaches to magnetic surfaces and collects metal chips while cutting.

- Works with up to 2-1/2" diameter cutters
- Minimal profile provides improved visibility and access to workspace
- Integrated keychain loop



DESCRIPTION	PART #
8-Piece Kit (7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2", 2X pilot bits)	36-814
4-Piece Kit (7/8", 1-1/8", 1-3/8", pilot bit)	36-811
3/4"	36-800
7/8"	36-801
1"	36-802
1-1/8"	36-803
1-7/32"	36-813
1-3/8"	36-805
1-3/4"	36-808
2"	36-809
2-1/2"	36-810
Replacement Pilot Drill	36-812
Magnetic Chip Collector	36-815

IDEAL CUSTOMER SERVICE:
orderdesk@idealindustries.com
1-800-824-3325
www.idealind.com

THE ELECTRICIAN'S
CHAMPION™



NEW FROM IDEAL

DRILL TAPS WITH SMOOTHSTART™ TIP

We have added a four-piece kit, and two new individual sizes to our popular Drill Taps lineup.


Save Time: Drill, Tap and Deburr in one single operation

- Three-flute design
- Split Point SmoothStart™ Tip
- Hardened Tapping Edge
- Deburring Cutting Edge
- 1/4 in. Hex Shank


**NEW
SIZES**




AVERAGE HOLES DRILLED & TAPPED



Based on testing 1/4-20 drill tap in 10 AWG Mild Steel



DESCRIPTION	PART #
3/8-16 NC Drill Tap Bit	36-3/8-16
5/16-18 NC Drill Tap Bit	36-5/16-18
4-Piece Kit	36-601



TWISTER® PROFLEX™ MINI

Mini, but Mighty! Rated for 4 #12 solid AWG

The Twister® ProFLEX™ Mini boasts a space-saving design that fits into the tightest electrical spaces, with the added protection of a flexible skirt.

It features the widest wire range of any orange/blue connector. Can be used for combinations from 2 #22 AWG to 4 #12 solid AWG wire.

TWISTER® PROFLEX™ CONNECTORS

Rated for up to 1000V

Twister® ProFLEX is rated for 1000 volts and offers the added protection of a flexible skirt. It delivers the widest wire combination range in its class and is ergonomically designed for ease of use.

- Swept wing design with SureGrip™ overmold
- 22 to 8 AWG - Minimum 2 #18 Maximum 4 #10



DESCRIPTION	PART #
Twister® ProFLEX™ Mini - Box of 100	30-343
Twister® ProFLEX™ Mini - Jar of 200	30-347JC
Twister® ProFLEX™ Mini - Jar of 500	30-643J
Twister® ProFLEX™ Connectors - Jar of 75	30-1047JC

IN-SURE® LEVER WIRE CONNECTORS

INSERT. CLOSE. CONNECT.


Levered wire connectors provide the perfect solution for joining solid and stranded wires. These versatile connectors have a compact design that takes up minimal space in junction boxes and enclosures. They are releasable for use on solid & stranded wire.

- Two-stage lock for a secure connection
- Lever closes opposite of wire entry
- Clear housing allows verification of connection
- Integrated test ports on front and rear of connector
- Compact design for tight spaces
- Strip length guide
- Cu/Cu combinations only
- Wire Range: 24 - 12 AWG
- 600V



DESCRIPTION	PART #	
2 Port	Box of 150	30-10L22
	Jar of 500	30-50L22J
	Box of 4,000	30-16L22
3 Port	Box of 100	30-10L23
	Jar of 350	30-35L23J
	Box of 2,500	30-16L23
5 Port	Box of 75	30-10L25
	Jar of 200	30-20L25J
	Box of 1,500	30-16L25

IN-SURE® MC-PCS WIRE CONNECTORS



DESCRIPTION	PART #
MC-PCS Connectors - Jar of 100	30-1056J

In-Sure® MC-PCS wire connector is used to splice the control and signal conductor pairs in MC-PCS cable. The outer sheath provides the required separation between power and control conductors inside of the electrical box or enclosure per 2020 NEC article 725.136.

Listed as a PRESSURE-TYPE wire connector for use on the below solid and/or stranded Cu/Cu wire combinations. Consult IDEAL for a complete table of all CSA certified wire combinations.

- Industry leading In-Sure® Push-In Wire Connector performance
- Housing provides the required separation between power and control conductors
- Durable latch for secure connection
- Internal colors designed to match conductor insulation
- 20 Amp rating

Z6F F COMPRESSION CONNECTORS

Based on our best-selling RTQ™ F connector, with modifications that help simplify the traditional time consuming challenges of preparing and terminating RG6-Quad in the field.


- Just strip, insert, and compress
- No braid folding
- Low insertion force
- Nickel plated, all brass exterior with open internal chamber



DESCRIPTION	PART #
Card of 25	92-640
Jar of 50	92-641

CAT 6A/6 FEED-THRU CONNECTORS

- Single piece, feed-thru design
- For use with large diameter, CAT6 / CAT6A cable with inner conductor diameters up to 0.048"
- Compatible with our FT-45™ Crimping Tool
- Integrated strain-relief



DESCRIPTION	PART #
Shielded Feed-Thru - Card of 10	85-363
Shielded Feed-Thru - Card of 25	85-368
Shielded Feed-Thru - Jar of 50	85-369
Feed-Thru Connectors - Jar of 50	85-385

NEW FROM IDEAL

CABLE STACKERS

Rated to organize up to eight 14/2 cables!

- Used to route, fasten, and support NM, CATV, telephone, security and instrumentation cables
- Organize lengthy cable runs, eliminating angled wires and excessive heating that can occur when too many cables are fastened tightly together
- Angled nail allows installation from any direction



DESCRIPTION	PART #
Cable Stackers - Bag of 25	BPSTCKR-25
Cable Stackers - Box of 100	BPSTCKR-100
Cable Stackers - Bucket of 300	BPSTCKR-300

CAN-SNAP NM CONNECTORS

Made in Canada

- Simply push in - no tools required
- Protects and secures cable
- Snap connectors into 1/2" or 3/4" knockouts
- Securely holds cable while protecting from rough knockout edges



DESCRIPTION	PART #	
1/2" Can-Snap™	Jar of 50	91-700J
	Jar of 125	91-710J
	Jar of 250	91-720J
	Barrel of 2,500	91-740
	Barrel of 10,000	91-750
3/4" Can-Snap™	Jar of 50	91-800J

PRO-PULL™ MEASURING PULL TAPE & CONDUIT MEASURING TAPE

Made from polyester fiber, Pro-Pull™ Measuring Pull Tape maintains softness for less hand damage than traditional polypropylene rope, while minimizing stretch and maximizing abrasion resistance. Clearly printed with tensile strength, sequential footage markings, printing dates, and lot tracing for easy product identification.

Pro-Pull™ Conduit Measuring Tape makes measurement of conduit runs quick and easy. It will not rot or mildew and can be left in the conduit for future use.

- Highly legible sequential footage markings
- Increased efficiency, measure and pull in a single step
- Enhanced softness reduces hand damage
- High quality standards including lot tracing



DESCRIPTION	TENSILE STRENGTH	WIDTH (IN)	LENGTH (FT)	PART #	
BUCKETS	400 lb	1/4"	4,500'	31-400B-45	
	1,800 lb	1/2"	1,300'	31-1800B-13	
REELS	1,250 lb	1/2"	1,000'	31-1250-10	
	1,250 lb	1/2"	3,000'	31-1250-30	
	1,250 lb	1/2"	5,000'	31-1250-50	
	1,800 lb	5/8"	1,000'	31-1800-10	
	1,800 lb	5/8"	3,000'	31-1800-30	
	1,800 lb	5/8"	5,000'	31-1800-50	
	2,500 lb	3/4"	1,000'	31-2500-10	
	2,500 lb	3/4"	1,500'	31-2500-15	
	2,500 lb	3/4"	3,000'	31-2500-30	
	Conduit Measuring Tape	160 lb	-	3,000'	31-0160-30

WIRE ARMOUR

WIREARMOUR™ ELECTRICAL TAPES

When performance matters, count on WireArmour™ Electrical Tape from IDEAL to get the job done.

Our lineup includes high-quality general purpose, premium, and specialty tapes all designed to meet the needs of professional electricians.

Learn more and find the right WireArmour tape for your job by visiting our website.



SPECIALTY

Corrosion Protection | Rubber Mastic Linerless Rubber | Vinyl Mastic Pads



1700

General Purpose



1700C

General Purpose Colour Coding



33

Premium Professional



35

Premium Colour Coding



88

Heavy Duty 8.5 mil



PRO

Contractor Pro Mid-Grade

DESCRIPTION	PART #
General Purpose Tape (black)	46-1700
General Purpose Tape (colours)	46-1700-XXX
Premium Professional Tape (black)	46-33
Premium Professional Tape (colours)	46-35-XXX
Heavy Duty 8.5 mil	46-88
Contractor Pro	46-PRO

Linerless Rubber Tape - 3/4" x 30'	46-130C-3/4x30
Linerless Rubber Tape - 1" x 30'	46-130C-1x30
Linerless Rubber Tape - 1.5" x 30'	46-130C-1-1.5x30
Linerless Rubber Tape - 2" x 30'	46-130C-2x30
Vinyl Mastic Pads - 6-1/2" x 4" - 10 Pack	46-2200-6.5x4
Rubber Mastic Tape - 1" x 10'	46-2228-1x10
Corrosion Protection Tape - 2" x 100'	46-50-UNPRINT-2

ARMOURBAND™ INSULATING WRAPS

- Quick, clean and reusable
- Faster installation and 35% wider than electrical tape
- Non-slip finish and exceptional elongation
- Superior silicone construction
- Durable for extreme temperatures
- Exceeds flame retardant properties of electrical tape



DESCRIPTION	PART #
Bag of 10	47-100
Jar of 100	47-110J
Bulk Carton of 1,000	47-120

PANEL TOUCH-UP & MARKING PAINTS



DESCRIPTION	PART #
Red Electrical Finish	40-026
White Electrical Finish	40-027
ANSI-61 Grey Electrical Finish	40-028
Blue Electrical Finish	40-029
Yellow Electrical Finish	40-030
Fluorescent Orange (Inverted Spray)	40-031
Fluorescent Orange	40-032

NEW FROM IDEAL

OPEN JAW RATCHETING CABLE CUTTER

- Cuts hard drawn copper up to 600 MCM and soft copper, aluminum and multi-conductor cable up to 750 MCM
- Open jaw for easy access in tight areas
- Hardened steel blades ensure consistent cuts and long-term durability
- Rounded blade design minimizes cable distortion during cutting
- Quick release mechanism simplifies blade back-out
- Locking mechanism keeps handles closed for easy storage
- Not for cutting steel or ACSR




HEAVY-DUTY FORGED STRIPPERS & LONG-NOSED STRIPPERS

- Screw Cutting Holes: 6-32 / 8-32
- Wide nose to twist multiple wires simultaneously
- Recessed cutting holes for a closer cut
- Secure lock/unlock hasp design
- Integrated tether hole & crimper
- Ergonomic SmartGrip™ molded handles



STAINLESS STEEL STRIPPERS

- Stainless steel for higher corrosion resistance
- Spring loaded automatic opening
- Laser etched wire gauges



LINESMAN PLIERS

- Knife-to-knife blades help make cutting easy and fast
- Cuts hardened wire, bolts, and stainless-steel wire
- Knife-to-knife blades rarely need sharpening
- Smart Grip™ includes integrated tethering hole
- Does not include crimper or fish tape puller



HAND TOOL TETHER

- 2 lb. weight limit
- Relaxed length of 3.5 ft.
- Maximum extended length is 5.5 ft.
- Approved to the ANSI 121-2018 standard



7-IN-1 NUT DRIVER

- Includes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 9/16"
- Durable chrome plated finish
- Large size colour bands for easy identification
- Lightweight design



DESCRIPTION	PART #
Open Jaw Ratcheting Cable Cutter 600 MCM	35-055
Forged Heavy-Duty Wire Stripper	45-110
Forged Heavy-Duty Wire Stripper (Dual NM)	45-112
Heavy-Duty Long-Nose Wire Stripper	45-113
Stainless Steel Strippers, Straight Handle	45-220
Stainless Steel Strippers, Curved Handle	45-221
Stainless Steel Strippers, Dual NM	45-222
Linesman Pliers 9-1/2", Smart-Grip™	30-3450
Linesman Pliers 9-1/2", Dipped-Grip	30-450
Hand Tool Tether	37-100
7-in-1 Nut Driver	35-919

PRO SERIES TOOL BELT SYSTEM

Consisting of six component parts, and two bundles, the Pro Series Tool Belt System is a fully customizable tool suspension rig.

- Durable materials
- Thinly padded shoulder straps for added comfort without bulk
- Fully adjustable straps for customized fit
- Built-in handle on suspenders for easy carrying
- Tactical metal belt buckle
- Metal fasteners
- Padded belt lining
- Fits up to 42"



PART #	DESCRIPTION	Tool Belt Bundle with Suspenders	Tool Belt Bundle
		37-070	37-071
37-072	Tool Belt Cell Phone Holder		
37-073	Tool Belt Drill Holder	✓	✓
37-074	Tool Belt	✓	✓
37-075	Tool Belt Suspenders	✓	
37-076	Tool Belt Hammer Holder	✓	✓
37-077	Electrician's Tool Belt Pouch	✓ (x2)	✓ (x2)



PRO SERIES CAMO POUCHES

A convenient storage solution for electrical tools, connectors and supplies - Stylish Camouflage!

- Reflective strip for high visibility
- Light coloured lining for easy identification of contents
- Grommet for hanging or carabiner
- Size 12-1/2" x 7"

DESCRIPTION	PART #
4-Piece Camo Flat Zipper Pouch Set	37-060
Arctic Camo Flat Zipper Pouch	37-061
Gray Digital Camo Flat Zipper Pouch	37-062
Green Digital Camo Flat Zipper Pouch	37-063
Wooded Camo Flat Zipper Pouch	37-064

LARGE MOUTH BAGS

- Top opens completely for easy access to large tools - reinforced to hold itself open
- Bags are deep with outside and inside pockets for convenient hand tool storage
- Rugged zipper closure helps prevent tool loss
- 37-014 features removable shoulder strap
- Durable multi-ply construction



TOOL POUCH

- Compact and versatile design
- Carry as a hand-tote, shoulder tote or tool-belt
- Includes removable shoulder strap and belt



DESCRIPTION	PART #
Large Mouth Bag 13"	37-013
Large Mouth Bag 18"	37-014
Tool Pouch	37-026

NEW FROM IDEAL



FULLY REDESIGNED T&M LINE

IDEAL's Test & Measurement products are known for being durable and reliable. Our new lineup builds on this reputation, adding many features that help it stand out from the competition! Some of the great features you'll see across the line:

- Testers with built-in NCVT
- Integrated probe holders
- Flashlight function
- Overmolded industrial grips
- Universal magnetic strap clips
- Brighter, sharper displays



DESCRIPTION	PART #
TightSight™ Clamp Meter 600A AC/DC	61-757
TightSight™ Clamp Meter 400A AC/DC	61-747
Clamp Meter 400A AC	61-737
TightSight™ Split Jaw Meter 200A AC/DC	61-415
Split Jaw Meter 200A AC	61-405
Multimeter 1000V Auto Range w/LoZ	61-357
Multimeter 1000V Auto Range	61-347
Multimeter 600V Auto Range	61-337
Multimeter 600V Manual Range	61-327
NCVT Dual Range 12 to 1000V AC	61-657
NCVT Single Range 50 to 1000V AC	61-647
NCVT Single Range 24 to 600V AC	61-637
NCVT Single Range 50 to 600V AC	61-627
GFCI Receptacle / Voltage Tester	61-517
Voltage & Continuity Tester	61-557
Voltage Indicator	61-547
Infrared Thermometer Dual Laser	61-847
Infrared Thermometer Single Laser	61-827
120V AC Circuit Breaker Finder	61-532
Universal Magnetic Hanging Strap	UMHS-757

IDEAL CUSTOMER SERVICE:
 orderdesk@idealindustries.com
 1-800-824-3325
 www.idealind.com

THE ELECTRICIAN'S
CHAMPION™

